

Clean Code SOLID

Foundations of the SOLID Principles

Pre-work

- Video: <https://cleancoders.com/episode/clean-code-episode-8>
- Exam: <https://cleancoders.com/episode/clean-code-episode-8/exam>

Chapters

Chapter	Time
Overview	00:44
Special Relativity	04:45
The Source Code is the Design	11:14
Design Smells	20:04
Rigidity	20:33
Fragility	23:06
Immobility	24:43
Viscosity	26:07
Needless Complexity	27:44

Chapter	Time
Code Rot	30:37
Version Two	33:54
Version Three	35:57
Summary	36:51
What is OO	37:29
Dependency Inversion	39:15
What is OO?	43:30
Dependency Management	46:43
Conclusion	48:46

Timetable

Activity	Time
Warmup	5 min
Exercise 1	15 min
Three levels of software development	15 min
Exercise 2	15 min
Software design goals	10 min
Exercise 3	15 min
Wrap up	5 min

Warmup

- How do you manage dependencies in your code?
 - Type in the meeting chat

Exercise 1

- Prompt
 - Share your approach to software development with the group
 - What are the similarities and differences between your approaches?
- Time limit: 15 minutes

Discussion

- Groups to share their findings

Three levels of software development

- Software Architecture
- Software Design
- Implementation Details

The three levels of software development

Software Architecture

- Overall strategy of software approach
- Focuses on big decisions that are hard to change later
- Involves architectural patterns (e.g., client-server, microservices)
- Defines structure and interdependencies among key entities (modules, components)

Software Design

- Tactics to make architecture strategy work
- Addresses interaction of software entities and dependencies
- Utilizes design patterns (e.g., Visitor, Strategy, Decorator)
- Helps break down complex systems into manageable pieces

Implementation Details

- Most concrete level of software development
- Focuses on actual implementation of solutions
- Addresses memory acquisition, exception safety, performance, etc.
- Includes implementation patterns and language idioms (best practices)

Idioms

- Can fall into Implementation Details or Software Design categories
- Address problems at implementation or design level
- Examples
 - C++ idioms:
 - RAII (Resource Acquisition Is Initialization)
 - Copy-and-swap idiom
 - Pimpl idiom
 - Python idioms:
 - List comprehensions
 - Context managers (with statement)
 - Decorators

Exercise 2

- Prompt
 - Provide examples of your favorite design patterns and programming idioms
 - How do you use them?
- Time limit: 15 minutes

Discussion

- Groups to share their findings

Software design goals

- Design for change
- Design for testability
- Design for extension

Design for change

- Embrace change as an inherent part of software development
- Avoid combining unrelated, orthogonal aspects to prevent coupling
- Avoid premature abstraction if you are not sure about the next change

Design for testability

- Understand tests are your protection layer against accidentally breaking things
- Separate concerns for the sake of testability
- Consider private member functions that need testing to be misplaced

Design for extension

- Favor design that makes it easy to extend code
- Design for code additions by all means of feature of your language
 - base classes
 - templates
 - function overloading
 - template specialization
- Avoid premature abstraction if you are not sure about the next addition

Summary

- Treat software design as an essential part of writing software.
- Understand software design as the art of managing dependencies and abstractions.
- Consider the boundary between software design and software architecture as fluid.
- Design for easy change and make software more adaptable.
- Avoid unnecessary coupling and dependencies to make software more adaptable to frequent changes.

What is next?

- Next session
 - Discussion session on the Single Responsibility Principle
 - Watch episode 9 - The Single Responsibility Principle

Final words

Always leave the code better than you found it.
– *The Software Craftsmanship Rule*